

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	10/165648	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:32
L2	336186 4	(sensor or detector or guage or gauge or barometer or thermistor or thermometer or monitor)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 14:26
L3	20740 51	2.ab,ti.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:46

L4	12658	2 and loop near2 filter	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:46
L5	543	4 and (plural\$5 or multip\$6) near2 mode	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:52
L6	113	5 and simulat\$5	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:49
L7	2	2.ti. and 6	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:50

L8	0	6 and ("73"/\$.ccis. or "374"/\$.ccis.)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:51
L9	247102	("73"/\$.ccis. or "374"/\$.ccis.)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:51
L10	66093	3 and 9	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:51
L11	259	10 and (plural\$5 or multip\$6) near2 mode	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:52

L12	115	11 and filter	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:52
L13	3	12 and sequencer	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 13:52
L14	413732	(sensor or detector or guage or gauge or barometer or thermistor or thermometer or monitor).clm.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 14:27
L15	3575	loop near2 filter.clm.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 14:27

L16	3078	sequencer.clm.	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 14:27
L17	8	14 and 15 and 16	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_T DB	OR	ON	2006/01/17 14:27